



## **Cohere Medicare Advantage Policy – Obstructive Sleep Apnea Surgeries (Non-Covered Procedures)**

*Clinical Guidelines for Medical Necessity Review*

Version: 1.1

**Cohere Health UMC Approval Date: February 13, 2025**

Last Annual Review: Not Applicable

Revision Date: August 7, 2025

Next Annual Review: Not Applicable

# Important Notices

## Notices & Disclaimers:

**GUIDELINES ARE SOLELY FOR COHERE'S USE IN PERFORMING MEDICAL NECESSITY REVIEWS AND ARE NOT INTENDED TO INFORM OR ALTER CLINICAL DECISION-MAKING OF END USERS.**

Cohere Health, Inc. ("**Cohere**") has published these clinical guidelines to determine the medical necessity of services (the "**Guidelines**") for informational purposes only, and solely for use by Cohere's authorized "**End Users**". These Guidelines (and any attachments or linked third-party content) are not intended to be a substitute for medical advice, diagnosis, or treatment directed by an appropriately licensed healthcare professional. These Guidelines are not in any way intended to support clinical decision-making of any kind; their sole purpose and intended use is to summarize certain criteria Cohere may use when reviewing the medical necessity of any service requests submitted to Cohere by End Users. Always seek the advice of a qualified healthcare professional regarding any medical questions, treatment decisions, or other clinical guidance. The Guidelines, including any attachments or linked content, are subject to change at any time without notice. This policy may be superseded by existing and applicable Centers for Medicare & Medicaid Services (CMS) statutes.

©2025 Cohere Health, Inc. All Rights Reserved.

---

## Other Notices:

HCPCS® and CPT® copyright 2025 American Medical Association. All rights reserved.

Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

HCPCS and CPT are registered trademarks of the American Medical Association.

---

## Guideline Information:

**Specialty Area:** Sleep Medicine

**Guideline Name:** Cohere Medicare Advantage Policy - Obstructive Sleep Apnea Surgeries (Non-Covered Procedures)

**Type:**  Adult (18+ yo) |  Pediatric (0-17 yo)

## **Table of Contents**

<b>Important Notices</b>	<b>2</b>
<b>Medical Necessity Criteria</b>	<b>4</b>
<b>Service: Obstructive Sleep Apnea Surgeries (Non-Covered Procedures)</b>	<b>4</b>
Related CMS Documents	4
Recommended Clinical Approach	4
Medical Necessity Criteria	5
Indications	5
Non-Indications	5
Level of Care Criteria	5
Procedure Codes (CPT/HCPCS)	6
<b>Medical Evidence</b>	<b>7</b>
<b>References</b>	<b>9</b>
<b>Policy Revision History/Information</b>	<b>11</b>

# Medical Necessity Criteria

## **Service: Obstructive Sleep Apnea Surgeries (Non-Covered Procedures)**

### **Related CMS Documents**

Please refer to [CMS Medicare Coverage Database](#) for the most current applicable CMS National Coverage.<sup>1-2</sup>

- [Local Coverage Determination \(LCD\): Surgical treatment of obstructive sleep apnea \(OSA\) \(L34526\)](#)
- [Billing and Coding: Surgical treatment of obstructive sleep apnea \(OSA\) \(A56905\)](#)

### **Recommended Clinical Approach**

**This service is clinically unproven and not medically necessary.**

Obstructive sleep apnea (OSA) is a condition where multiple episodes of partial or complete closure of the upper airway during sleep may occur. These often frequent episodes may lead to pauses in breathing (apnea or hypopnea) that can last for greater than 10 seconds, and may be followed by awakening or rapid breathing. Both adults and children may be affected by OSA. Diagnostic testing is necessary to determine the presence of OSA. While non-surgical treatments exist (e.g., positive airway pressure [PAP], oral appliance therapy), surgery may be proposed to reduce the high risk of hypertension, atrial fibrillation, heart failure, and other serious associated conditions due to lack of oxygen in the bloodstream. While there are several established and clinically proven OSA surgeries available, other OSA surgical technologies are emerging and under investigation.<sup>3-4</sup>

## Medical Necessity Criteria

### Indications

The following **obstructive sleep apnea surgeries** are not considered appropriate, as they are clinically unproven and not medically necessary. There is inconclusive evidence of the effectiveness of **ANY** of the following procedures:

- Submucosal radiofrequency ablation of the tongue base<sup>1,7-8</sup>; **OR**
- Somnoplasty palate reduction<sup>1</sup>; **OR**
- Uvulectomy as a stand-alone procedure for the treatment of OSA; **OR**
- Insertion of implants into the soft palate (Pillar Procedure)<sup>1,8-9</sup>; **OR**
- Laser-assisted uvulopalatoplasty (LAUP)<sup>1,8,10-11</sup>.

### Non-Indications

**Obstructive sleep apnea (OSA) surgeries** are not considered appropriate if **ANY** of the following is **TRUE**:

- This is not applicable, as there are no indications.

### Level of Care Criteria

None

### **Procedure Codes (CPT/HCPCS)**

<b>CPT/HCPCS Code</b>	<b>Code Description</b>
41530	Submucosal ablation of the tongue base, radiofrequency, 1 or more sites, per session
42140	Uvulectomy, excision of uvula
42299	Unlisted procedure, palate, uvula
C9727	Insertion of implants into the soft palate; minimum of three implants
S2080	Laser-assisted uvulopalatoplasty (LAUP)

**Disclaimer:** S Codes are non-covered per CMS guidelines due to their experimental or investigational nature.

## Medical Evidence

Aurora et al. (2010) developed practice parameters for surgical modifications of the upper airway for obstructive sleep apnea in adults for the American Academy of Sleep Medicine (AASM). In this systematic review, the group recommended diagnosis of sleep apnea before initiating surgery, and included discussion of procedures such as tracheostomy, maxillo-mandibular advancement (MMA), laser-assisted uvulopalatoplasty (LAUP), uvulopalato-pharyngoplasty (UPPP), radiofrequency ablation (RFA), and palatal implants. UPPP as a sole procedure does not reliably normalize the apnea-hypopnea index (AHI) in moderate to severe OSA syndrome. LAUP was not recommended due to low-quality published evidence. LAUP usually does not normalize the AHI and no support was found in the literature for improvement in secondary outcomes. Additionally, the possibility of OSA symptom worsening exists. Very low-quality evidence (case series and only one randomized controlled trial) exists to support the use of radiofrequency ablation, and long-term sequelae of RFA use were not published. The group concluded that there is a lack of rigorous data evaluating outcome measures and which populations would benefit from these surgical treatments. Palatal implants were described as an emerging treatment based on very low-quality evidence. The group stated that it is difficult to predict if it will ultimately be found to be a reliably effective treatment option.<sup>8</sup>

Khasawneh et al. (2021) conducted a small study of 30 patients who underwent pillar implants for treatment of snoring and excessive daytime sleepiness. Limitations of the study included, in addition to the small study size, a lack of placebo controls due to the inappropriate nature of sham studies. Follow-up sleep studies were not conducted on all study participants due to cost constraints. Additionally, many of the study participants did not undergo polysomnography, and several participants experienced snoring as their only symptom. Longer-term, larger studies were stated to be needed to predict long-term efficacy.<sup>9</sup>

Camacho and colleagues (2017) published a systematic review and meta-analysis regarding laser-assisted uvulopalatoplasty (LAUP) for obstructive sleep apnea (OSA) treatment involving 717 patients in 23 studies

of adult patients. This meta-analysis was based on case series analysis only without controls. The group found a 32% reduction in apnea-hypopnea index (AHI) although the lowest oxygen saturation (LSAT) only minimally changed. The individual data found a success rate of 23%, a cure rate of 8%, and 44% of patients experienced a worsening of AHI. LAUP was recommended by the group to be performed with caution or not at all based on the unfavorable results of the currently published studies.<sup>10</sup>

Littner et al. (2001) reviewed the evidence for laser-assisted uvulopalatoplasty (LAUP) as the basis for the development of a practice parameter for the American Academy of Sleep Medicine (AASM). The group stated that adequate controlled studies for LAUP were not found in peer-reviewed journals. This agreed with AASM's 1994 practice parameters for LAUP, and the group maintained their non-recommendation for LAUP as a treatment for sleep-related breathing disorders. The parameter does state that LAUP may be comparable to uvulopalatopharyngoplasty (UPPP) for the treatment of snoring.<sup>11</sup>

The American Academy of Otolaryngology-Head and Neck Surgery (AAO-HNS) published a 2012 updated position statement for submucosal ablation of the tongue base for OSAS. This guideline cited a number of non-randomized studies with low numbers of participants. The group commented that the majority of patients studied were not morbidly obese and experienced mild to moderate OSA. The studies cited that compared ablation with CPAP found similar effectiveness of both therapies.<sup>12</sup>

No current, peer-reviewed studies were found to support the use of uvulectomy as a stand-alone procedure for the treatment of obstructive sleep apnea.

## References

1. Centers for Medicare & Medicaid Services (CMS). Local coverage determination: Surgical treatment of obstructive sleep apnea (OSA) (L34526). Revision effective date: June 26, 2025. <https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?LCDId=34526>
2. Centers for Medicare & Medicaid Services (CMS). Billing and coding: Surgical treatment of obstructive sleep apnea (OSA)(A56905). Revision effective date: June 26, 2025. <https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleid=56905&ver=17&=>
3. Huyett P, Soose RJ. Rationale and indications for surgical treatment. In: Friedman M, Jacobowitz O. *Sleep Apnea and Snoring*. 2<sup>nd</sup> ed. Elsevier; 2020:66–69.
4. Merck Manual, Professional Version. Obstructive sleep apnea (OSA). August 2024. <http://www.merckmanuals.com/professional/pulmonary-disorders/sleep-apnea-osa>
5. Smith DF, Cohen AP, Ishman SL. Surgical management of OSA in adults. *Chest*. 2015;147(6):1681–1690.
6. Kent D, Stanley J, Aurora RN, et al. Referral of adults with obstructive sleep apnea for surgical consultation: an American Academy of Sleep Medicine clinical practice guideline. *J Clin Sleep Med*. 2021;17(12):2499–250.
7. American Academy of Otolaryngology – Head and Neck Surgery (AAO-HNS). Position statement: treatment of obstructive sleep apnea. Published May 5, 2010. Updated June 9, 2021. <https://www.entnet.org>
8. Aurora RN, Casey KR, Kristo D, et al. Practice parameters for the surgical modifications of the upper airway for obstructive sleep apnea in adults.

*Sleep*. 2010;33(10):1408-1413. <https://pmc.ncbi.nlm.nih.gov/articles/PMC2941428/pdf/aasm.33.10.1408.pdf>

9. Khasawneh L, Odat H, Khasawneh BY, et al. Efficacy of pillar implants to reduce snoring and daytime sleepiness. *Future Sci. OA*. 2021;7(6);FSO701. doi: 10.2144/fsoa-2021-0020
10. Camacho M, Nesbitt B, Lambert E, et al. Laser-assisted uvulopalatoplasty for obstructive sleep apnea: a systematic review and meta-analysis. *Sleep*. 2017;40(3):1-8. <https://academic.oup.com/sleep/article-abstract/40/3zsx004/2996605>
11. Littner M, Kushida CA, Hartse K, et al. Practice parameters for the use of laser-assisted uvulopalatoplasty: an update for 2000. *Sleep*. 2001;33(5):603-619. [https://aasm.org/resources/practiceparameters/pp\\_uvulopalatoplasty.pdf](https://aasm.org/resources/practiceparameters/pp_uvulopalatoplasty.pdf)
12. American Academy of Otolaryngology – Head and Neck Surgery (AAO-HNS). Position statement: submucosal ablation of the tongue base for OSAS. Published May 3, 2010. Updated December 8, 2012. <https://www.entnet.org>

# Policy Revision History/Information

Original Date: February 13, 2025		
Review History		
Version 1.1	08/07/2025	Updated links to and references for L34256 and A56905, according to the 06/25/2025 update of CMS LCD L34526