



Cohere Medicare Advantage Policy – Outpatient Speech Therapy

Clinical Policy for Medical Necessity Review

Version: 1.1

Cohere Health UMC Approval Date: April 10, 2025

Last Annual Review: Not Applicable

Revision: October 21, 2025

Next Annual Review: April 10, 2026

Important Notices

Notices & Disclaimers:

GUIDELINES ARE SOLELY FOR COHERE’S USE IN PERFORMING MEDICAL NECESSITY REVIEWS AND ARE NOT INTENDED TO INFORM OR ALTER CLINICAL DECISION-MAKING OF END USERS.

Cohere Health, Inc. (“**Cohere**”) has published these clinical guidelines to determine the medical necessity of services (the “**Guidelines**”) for informational purposes only, and solely for use by Cohere’s authorized “**End Users**”. These Guidelines (and any attachments or linked third-party content) are not intended to be a substitute for medical advice, diagnosis, or treatment directed by an appropriately licensed healthcare professional. These Guidelines are not in any way intended to support clinical decision-making of any kind; their sole purpose and intended use is to summarize certain criteria Cohere may use when reviewing the medical necessity of any service requests submitted to Cohere by End Users. Always seek the advice of a qualified healthcare professional regarding any medical questions, treatment decisions, or other clinical guidance. The Guidelines, including any attachments or linked content, are subject to change at any time without notice. This policy may be superseded by existing and applicable Centers for Medicare & Medicaid Services (CMS) statutes.

© 2025 Cohere Health, Inc. All Rights Reserved.

Other Notices:

HCPCS® and CPT® copyright 2025 American Medical Association. All rights reserved.

Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

HCPCS and CPT are registered trademarks of the American Medical Association.

Policy Information:

Specialty Area: Speech Language Pathology

Policy Name: Outpatient Speech Therapy

Type: Adult (18+ yo) | Pediatric (0-17 yo)

Table of Contents

Important Notices	2
Medical Necessity Criteria	4
Service: Outpatient Speech Therapy	4
Related CMS Documents	4
Description	4
Medical Necessity Criteria	5
Indications	5
Non-Indications	5
Definitions	5
Level of Care Criteria	5
Procedure Codes (CPT/HCPCS)	5
Evaluation of Clinical Harms and Benefits	7
Medical Evidence	9
References	10
Policy Revision History/Information	11

Medical Necessity Criteria

Service: Outpatient Speech Therapy

Related CMS Documents

Please refer to the [CMS Medicare Coverage Database](#) for the most current applicable CMS National Coverage.^{1-11,29}

- [National Coverage Determination \(NCD\). Speech-language pathology services for the treatment of dysphagia \(170.3\)](#)
- [Local Coverage Determination \(LCD\). Speech-language pathology \(L33580\)](#)
- [Local Coverage Determination \(LCD\). Speech-language pathology \(L34046\)](#)
- [Local Coverage Determination \(LCD\). Outpatient speech-language pathology \(L34429\)](#)
- [Local Coverage Determination \(LCD\). Speech-language pathology \(SLP\) services - communication disorders \(L35070\)](#)
- [Local Coverage Determination \(LCD\). Home health speech-language pathology \(L34563\)](#)
- [Billing and Coding: Speech-language pathology \(A52866\)](#)
- [Billing and Coding: Home health speech language pathology \(A53052\)](#)
- [Billing and Coding: Speech language pathology \(SLP\) services: communication disorders \(A54111\)](#)
- [Billing and Coding: Outpatient speech language pathology \(A56868\)](#)
- [Billing and Coding: Speech-language pathology \(A57040\)](#)
- [Medicare Benefit Policy Manual. Covered medical and other health services \(chapter 15, section §§220 and 230.3\)](#)

Description

Speech-language pathology (SLP) services include:

- Diagnosis and treatment of speech, language, and cognitive communication disorders that result in communication disabilities as well as to improve or restore speech and language functioning (communication) following disease, injury, or loss of a body part.^{2,4,5}

- Treatment, intervention, and follow-up service for disorders of speech, articulation, fluency, voice, and language skills as well as for impairments of cognition, language, and pragmatics found in cognitive-communication disorders.⁴
- Diagnosis and treatment of swallowing disorders (dysphagia), regardless of the presence of a communication disability.³⁻⁴
- Auditory rehabilitation that focuses on comprehension, and production of language in oral, signed, or written modalities; speech and voice production, auditory training, speech reading, multimodal (e.g., visual, auditory-visual, and tactile) training, communication strategies, education, and counseling.⁴

Treatment requires the judgment, knowledge, and skills of a licensed and certified speech-language pathologist who meets generally accepted standards of practice and is targeted and effective in treating the individual's diagnosed impairment or condition. Treatment is expected to produce clinically significant and measurable improvement in the member's level of functioning within a medically reasonable period of time; alternatively, the treatment is part of a medically necessary program to prevent significant functional regression.

Skilled procedures and modalities of SLP include²:

- Design of a treatment program addressing the patient's disorder;
- Skilled procedures and modalities of SLP include regular assessment and analysis during the implementation of the services;
- Establishment of compensatory skills for communication (e.g., air injection techniques or word-finding strategies);
- Establishment of a hierarchy of speech-language tasks and cueing that directs a beneficiary toward communication goals;
- Analysis of actual progress toward goals;
- Establishment of treatment goals specific to speech dysfunction and designed to specifically address each problem identified in the initial assessment;
- The selection and initial training of a device for augmentative or alternative communication systems;
- Patient and family training to augment restorative treatment or to establish a maintenance program (education of staff and family must begin at the time of evaluation).

Medical Necessity Criteria

Indications

Outpatient speech therapy is considered appropriate if **ALL** of the following are **TRUE**:

- Speech therapy services are provided by a licensed and appropriately credentialed speech/language professional acting within the applicable scope of practice for the jurisdiction where services are provided, allowing for care rendered under the direct supervision of an ancillary speech/language pathologist as permitted under state law(s); **AND**
- Symptoms with **ANY** of the following:
 - Changes following a period of chronic or stable symptoms; **OR**
 - Recent diagnosis; **AND**
- **ANY** of the following:
 - Treatment is for **ANY** of the following:
 - Aphasia¹⁶⁻²¹; **OR**
 - Acquired apraxia²²; **OR**
 - Cognitive-communication disorders; **OR**
 - Developmental language or speech disorders* as evidenced by **ANY** of the following²³⁻²⁴:
 - A speech disorder with impairment of **ANY** of the following:
 - Articulation of speech sounds; **OR**
 - Fluency; **OR**
 - Voice; **OR**
 - A language disorder with impaired comprehension and/or use of spoken, written and/or other symbol systems (e.g., the form of language [phonology, morphology, syntax], the content of language [semantics], and/or the function of language in communication [pragmatics] in any combination); **OR**
 - Dysarthria²⁵; **OR**
 - Dysphagia^{11,26}; **OR**
 - Voice disorders, including **ANY** of the following²⁷:
 - Physiological voice disorders that result from alterations in respiratory, laryngeal, or vocal tract mechanisms; **OR**
 - Organic voice disorders that result from **ANY** of the following:

- Physical changes in the vocal mechanism, such as alterations in vocal fold tissues (e.g., edema or vocal nodules) and/or structural changes in the larynx due to aging; **OR**
- Problems with the central or peripheral nervous system innervation to the larynx that affect the functioning of the vocal mechanism (e.g., vocal tremor, spasmodic dysphonia, or vocal fold paralysis); **OR**
- Voice disorders that result from inefficient use of the vocal mechanism when the physical structure is normal (e.g., vocal fatigue, muscle tension dysphonia or aphonia, diplophonia, or ventricular phonation); **OR**
- **ANY** of the following services:
 - Screening of **ANY** of the following²⁸:
 - Speech; **OR**
 - Language; **OR**
 - Dysphagia; **OR**
 - Re-evaluation with **ALL** of the following⁶:
 - Progress is expected if therapy resumes; **AND**
 - Documentation supports the need for further tests and measurements after the initial evaluation; **AND**
 - Indications for a re-evaluation include **ANY** of the following new clinical findings:
 - A significant change in the patient's condition; **OR**
 - Failure to respond to the therapeutic interventions outlined in the plan of care; **OR**
 - The patient is being discharged and **ANY** of the following:
 - To determine whether goals have been met; **OR**
 - For the use of the physician or the treatment setting at which treatment will be continued; **OR**
 - Continued coverage when the patient meets **ALL** of the following:
 - Compliant and active in therapy; **AND**
 - Demonstrates significant improvement that will benefit long-term therapy goals; **AND**
 - Functional progress is demonstrated; **AND**
 - Skills are being utilized in the patient's natural environment; **AND**
 - Re-evaluation is completed annually (every 12 months) to confirm progress and level of function to necessitate continuation of therapy; **AND**

- Deficiencies are identified by comparing results from previous evaluations with more recent results; **AND**
- Therapy goals are unmet and additional therapy is medically necessary; **OR**
- Therapeutic services related to the use of a non-speech generating device (SGD) for **ANY** of the following⁴:
 - Programming of a device; **OR**
 - Modification of a device; **OR**
 - Services for a patient who is non-verbal or does not have the capacity for verbal communication; **OR**
 - Development of operational competence in using an SGD or aids (e.g., customizing features of the device to meet specific communication needs); **OR**
- Auditory rehabilitation following cochlear implant (including hearing and therapeutic services with or without speech processor programming performed by an audiologist) and **ANY** of the following⁴:
 - Extensive auditory rehabilitation therapy that focuses on audition, cognition, language, and speech skills (including suprasegmental aspects) to improve the patient's ability to discriminate and exhibit improvements in speech (e.g., manner, place, and voicing); **OR**
 - Family member or caregiver training for auditory verbal techniques.

Non-Indications

Outpatient speech therapy is not considered appropriate if **ANY** of the following is **TRUE**:

- State-specific criteria do not allow coverage; **OR**
- Group therapy sessions²; **OR**
- **ANY** of the following procedures²:
 - Non-diagnostic, non-therapeutic, routine, repetitive, and reinforcing (e.g., practicing word drills without skilled feedback); **OR**
 - Repetitive and/or that reinforce previously learned material; **OR**
 - Procedures which may be effectively carried out with the individual by a non-professional (e.g., family, restorative aide) after instruction is completed; **OR**

- Laryngoscopy for medical diagnostic purposes performed by a non-physician; **OR**
- **ANY** of the following services²:
 - For chronic disorders of memory and orientation without significant functional progress; **OR**
 - Supervision of the use of memory aids (e.g., memory books, memory boards, or communication books); **OR**
 - Provided by a non-licensed SLP (e.g., SLP assistant or aide); **OR**
 - Provision of practice for use of augmentative or alternative communication systems after being taught their use; **OR**
- **ANY** of the following disorders²⁻³:
 - Fluency disorder; **OR**
 - Conceptual handicap; **OR**
 - Dysprosody; **OR**
 - Stuttering and cluttering (except neurogenic stuttering caused by acquired brain damage); **OR**
 - Myofunctional disorders (e.g., tongue thrust).

Definitions

Restorative/Rehabilitative therapy – Skilled therapy must be reasonably expected to improve the patient’s functional capacity or adaptation to impairments in order to be covered.²⁹

Maintenance Therapy – Even if no improvement is expected, under the skilled nursing facility (SNF), home health (HH), and outpatient (OPT) coverage standards, skilled therapy services are covered when an individualized assessment of the patient’s condition demonstrates that skilled care is necessary for the performance of a safe and effective maintenance program to maintain the patient’s current condition or prevent or slow further deterioration. Skilled maintenance therapy may be covered when the particular patient’s special medical complications or the complexity of the therapy procedures require skilled care.²⁹

Maintenance Program – Coverage of therapy services, including speech-language pathology services, for a maintenance program based on the patient’s need for skilled care in that maintenance program as described in the CMS Internet-Only Manual, Pub. 100-02, Medicare Benefit Policy Manual, Chapter 7, §40.2.1.²⁹

Re-evaluation - A re-evaluation would be considered reasonable and necessary for indications described by the CMS Internet-Only Manual, Pub. 100-02, Medicare Benefit Policy Manual, Chapter 7, §40.2.3.²⁹

Level of Care Criteria

Outpatient

Procedure Codes (CPT/HCPCS)

CPT/HCPCS Code	Code Description
92507	Treatment of speech, language, voice, communication, and/or auditory processing disorder; individual
92508	Treatment of speech, language, voice, communication, and/or auditory processing disorder; group, 2 or more individuals
92520	Laryngeal function studies (i.e., aerodynamic testing and acoustic testing)
92526	Treatment of swallowing dysfunction and/or oral function for feeding
92606	Therapeutic service(s) for the use of non-speech-generating device, including programming and modification
92609	Therapeutic services for the use of speech-generating device, including programming and modification
92630	Auditory rehabilitation; prelingual hearing loss
92633	Auditory rehabilitation; postlingual hearing loss
97039	Unlisted modality (specify type and time if constant attendance)

97129	Therapeutic interventions that focus on cognitive function (e.g., attention, memory, reasoning, executive function, problem-solving, and/or pragmatic functioning) and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; initial 15 minutes
97130	Therapeutic interventions that focus on cognitive function (e.g., attention, memory, reasoning, executive function, problem-solving, and/or pragmatic functioning) and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (List separately in addition to code for primary procedure)
97139	Unlisted therapeutic procedure (specify)
97150	Therapeutic procedure(s), group (2 or more individuals)
S9152	Speech therapy, re-evaluation
V5362	Speech screening
V5363	Language screening
V5364	Dysphagia screening

Disclaimer: S Codes are non-covered per CMS guidelines due to their experimental or investigational nature.

Evaluation of Clinical Harms and Benefits

Clinical determinations for Medicare Advantage beneficiaries are made in accordance with 42 CFR 422.101 guidance outlining CMS's required approach to decision hierarchy in the setting of NCDs/LCDs identified as being "not fully established". When clinical coverage criteria are "not fully established" Medicare Advantage organizations are instructed to create publicly accessible clinical coverage criteria based on widely-accepted clinical guidelines and/or scientific studies backed by a robust clinical evidence base. Clinical coverage criteria provided by Cohere Health in this manner include coverage rationale and risk/benefit analysis.

The potential clinical harms of using these criteria for **outpatient speech therapy** may include:

- Feltner et al. (2024) conducted a systematic review of published guidance from the United States Preventive Services Task Force (USPSTF) on screening for speech and language delay and disorders in children aged 5 and younger. There were no identified harms of screening or interventions.¹²
- Increased healthcare costs and complications from the inappropriate use of emergency services and additional treatments.

The clinical benefits of using these criteria for **outpatient speech therapy** may include:

- Improved communication. Research shows that therapy benefits those with primary and secondary speech and language disorders. This includes hearing or neurological impairment, as well as developmental, behavioral, and emotional difficulties.¹³ Expanded vocabulary and grammar and enhanced articulation and phonetics are noted benefits of therapy.
- Social and emotional development. Arts et al. (2022) noted that adolescents with developmental language delay had improved social-emotional functioning. Therapy consisted of "linguistics, social communication (pragmatic) skills, and cognitive components." The authors noted that skills should be taught through social dialogue with other individuals.¹⁴
- Improved academic performance and school readiness. The benefits of therapy include aiding the student "to understand and comply with the

behavioral demands of school” and developing oral language skills to facilitate a foundation for early reading success.¹⁵

- Enhanced overall patient satisfaction and healthcare experience.

Medical Evidence

Mormer et al. (2024) analyzed racial disparities and the utilization of speech therapy by individuals diagnosed with oropharyngeal dysphagia. Of 56,198 identified individuals, 60.7% (n = 34,112) received speech therapy (61.5% White, 15.6% Black, 13.1% Other, and 9.8% Hispanic). Racial disparities were noted, particularly among those who were admitted to the hospital with acute stroke or pneumonia. A significant difference was not identified among patients with bacterial pneumonia or sepsis. The study is one of the few that addresses racial disparities - future research is needed with respect to the patient's primary diagnosis, duration of therapy, and location of therapy.³⁰

Osman et al. (2023) performed a systematic review on the role of early initiation of speech therapy for autism spectrum disorder (ASD). A total of 501 participants were included (78% male, 22% female). The review demonstrated the benefits of early initiation - these include an increase in self-esteem, social skills, cognitive ability, and effective communication. Anxiety also decreased among the individual and those with whom they interact in daily life (e.g., family, caregivers, teachers). The research also highlights the necessity of educating parents and caregivers on how to identify red flags and effectively overcome challenges.³¹

Sand et al. (2022) conducted a systematic review and meta-analysis of the benefits of speech therapy for individuals born with a cleft palate. Despite reconstructive surgery as a child, 50% of children continue to have speech difficulties that require additional surgery and speech therapy. Of the 34 studies that met the criteria for inclusion, 19 yielded data on 343 individuals. The studies analyzed language ability, speech production measurements, and self-reported outcomes. Overall, the results demonstrate a significant improvement in speech production following speech therapy, especially among younger children.³²

References

1. Centers for Medicare and Medicaid Services (CMS). National coverage determination (NCD): Speech-language pathology services for the treatment of dysphagia (170.3). Effective Date October 1, 2006. <https://www.cms.gov/medicare-coverage-database/search.aspx>
2. Centers for Medicare and Medicaid Services (CMS). Local coverage determination (LCD): Speech-language pathology (L33580). Revision Effective Date December 19, 2019. <https://www.cms.gov/medicare-coverage-database/search.aspx>
3. Centers for Medicare and Medicaid Services (CMS). Local coverage determination (LCD): Speech-language pathology (L34046). Revision Effective Date August 7, 2025. <https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=34046&ver=29&bc=0>
4. Centers for Medicare and Medicaid Services (CMS). Local coverage determination (LCD): Outpatient speech-language pathology (L34429). Revision Effective Date December 8, 2022. <https://www.cms.gov/medicare-coverage-database/search.aspx>
5. Centers for Medicare and Medicaid Services (CMS). Local coverage determination (LCD): Speech-language pathology (SLP) services: Communication disorders (L35070). Revision Effective Date August 13, 2020. <https://www.cms.gov/medicare-coverage-database/search.aspx>
6. Centers for Medicare and Medicaid Services (CMS). Billing and coding: Speech-language pathology (A52866). Revision Effective Date January 1, 2025. <https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleid=52866&ver=34&bc=0>
7. Centers for Medicare and Medicaid Services (CMS). Billing and coding: Home Health Speech Language Pathology (A53052). Revision Effective Date October 1, 2025. <https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleid=53052&ver=48&bc=0>

8. Centers for Medicare and Medicaid Services (CMS). Billing and coding: Speech Language Pathology (SLP) Services: Communication Disorders (A54111). Revision Effective Date October 1, 2025.
<https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleid=54111&ver=50&bc=0>
9. Centers for Medicare and Medicaid Services (CMS). Billing and coding: Outpatient Speech Language Pathology (A56868). Revision Effective Date October 1, 2025.
<https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleid=56868&ver=30&bc=0>
10. Centers for Medicare and Medicaid Services (CMS). Billing and coding: Speech-Language Pathology (A57040). Revision Effective Date August 7, 2025.
<https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleid=57040&ver=25&bc=0>
11. Centers for Medicare and Medicaid Services (CMS). Medicare benefit policy manual: Covered medical and other health services (chapter 15, section §§220 and 230.3). Revised October 4, 2024.
<https://www.cms.gov/regulations-and-guidance/guidance/manuals/downloads/bp102c15.pdf>
12. Feltner C, Wallace IF, Nowell SW, et al. Screening for speech and language delay and disorders in children 5 years or younger: Evidence report and systematic review for the US Preventive Services Task Force. *JAMA*. 2024 Jan 23;331(4):335–351. doi:10.1001/jama.2023.24647
13. Law J, Dennis JA, Charlton JJV. Speech and language therapy interventions for children with primary speech and/or language disorders. *Cochrane Database Syst Rev*. 2017 Jan 9;2017(1):CD012490. doi:10.1002/14651858.CD012490
14. Arts E, Orobio de Castro B, Luteijn E, et al. Improving social emotional functioning in adolescents with developmental language disorders: A mini review and recommendations. *Front Psychiatry*. 2022 Dec 9;13:966008. doi:10.3389/fpsyt.2022.966008

15. Bierman KL, Domitrovich CE, Nix RL, et al. Promoting academic and social-emotional school readiness: The Head Start REDI program. *Child Dev.* 2008 Nov-Dec;79(6):1802-17. doi:10.1111/j.1467-8624.2008.01227.x
16. National Institute on Deafness and Other Communication Disorders (NIDCD). Aphasia. Updated March 6, 2017. <https://www.nidcd.nih.gov/health/aphasia>
17. Hinckley J, Jayes M. Person-centered care for people with aphasia: Tools for shared decision-making. *Front Rehabil Sci.* 2023 Oct 20;4:1236534. doi:10.3389/fresc.2023.1236534.
18. Rohrer JD, Knight WD, Warren JE, et al. Word-finding difficulty: A clinical analysis of the progressive aphasias. *Brain.* 2008 Jan;131(Pt 1):8-38. doi:10.1093/brain/awm251.
19. Gorno-Tempini ML, Hillis AE, Weintraub S, et al. Classification of primary progressive aphasia and its variants. *Neurology.* 2011 Mar 15;76(11):1006-14. doi:10.1212/WNL.0b013e31821103e6
20. Kelley RE, El-Khoury R. Frontotemporal dementia. *Neurol Clin.* 2016 Feb;34(1):171-81. doi:10.1016/j.ncl.2015.08.007
21. Brady MC, Kelly H, Godwin J, et al. Speech and language therapy for aphasia following stroke. *Cochrane Database Syst Rev.* 2016 Jun 1;2016(6):CD000425. doi:10.1002/14651858.CD000425.pub4
22. Wambaugh JL. Treatment guidelines for acquired apraxia of speech: Treatment descriptions and recommendations. *J Med Speech-Lang PA.* 2006;14(2):xxxv - lxxvii. https://www.ancds.org/assets/docs/EBP/wambaugh_06b.pdf
23. American Speech-Language-Hearing Association (ASHA). Speech sound disorders - articulation and phonology. Date unknown. <https://www.asha.org/Practice-Portal/Clinical-Topics/Articulation-and-Phonology/>
24. American Speech-Language-Hearing Association (ASHA). Definitions of communication disorders and variations. Updated 2025. <https://www.asha.org/policy/rp1993-00208/>

25. Yorkston KM, Spencer K, Duffy J, et al. Evidence-based practice guidelines for dysarthria: Management of velopharyngeal function. *J Med Speech-Lang PA*. 2021. 9(4):257–74. https://www.ancds.org/assets/docs/EBP/velopharyngeal_evidence_based_practice_guidelines.pdf
26. American Speech-Language-Hearing Association (ASHA). Feeding and swallowing disorders in children. Updated 2025. <https://www.asha.org/public/speech/swallowing/feeding-and-swallowing-disorders-in-children>
27. American Speech-Language-Hearing Association (ASHA). Voice disorders. Date unknown. <https://www.asha.org/practice-portal/clinical-topics/voice-disorders>
28. American Speech-Language-Hearing Association (ASHA). Preferred practice patterns for the profession of speech-language pathology. Updated November 2004. <https://www.asha.org/policy/pp2004-00191>
29. Centers for Medicare and Medicaid Services (CMS). Local coverage determination (LCD): Home health speech-language pathology (L34563). Revision Effective Date May 11, 2023. <https://www.cms.gov/medicare-coverage-database/search.aspx>
30. Mormer E, Terhorst L, Coyle J, et al. Racial and ethnic disparities in speech-language pathology utilization for patients with oropharyngeal dysphagia in acute care. *Am J Speech Lang Pathol*. 2024 Sep 6:1-11. doi:10.1044/2024_AJSLP-24-00024
31. Osman HA, Haridi M, Gonzalez NA, et al. A systematic review of the efficacy of early initiation of speech therapy and its positive impact on autism spectrum disorder. *Cureus*. 2023 Mar 9;15(3):e35930. doi:10.7759/cureus.35930
32. Sand A, Hagberg E, Lohmander A. On the benefits of speech-language therapy for individuals born with cleft palate: A systematic review and meta-analysis of individual participant data. *J Speech Lang Hear Res*. 2022 Feb 9;65(2):555–573. doi:10.1044/2021_JSLHR-21-00367

Policy Revision History/Information

Original Date: April 10, 2025		
Review History		
Version 1.1	10/21/2025	<p>CMS update of L34046, effective 08/07/2025- (CMS annual review, no changes to coverage)</p> <p>Updated LCD link and reference</p> <p>Updated links and references for Billing and Coding Articles (A52866, A53052, A54111, A56868, A57040) related to update for 10/01/2025</p> <p>Updated template to current version</p>